

UPDATED SEARCH 10-13-04

L Number	Hits	Search Text	DB	Time stamp
4	1311	(point adj3 point) and (point adj3 multipoint)	USPAT	2004/10/20 10:08
5	263	((point adj3 point) and (point adj3 multipoint)) and gateway\$1	USPAT	2004/10/20 10:08
6	54	((point adj3 point) and (point adj3 multipoint)) and gateway\$1) and (edge or stub)	USPAT	2004/10/20 10:08
-	1213	370/216,242,244,250.ccls.	USPAT; US-PGPUB	2004/10/19 08:48
-	0	370/216,242,244,250.ccls. and rout\$3 and (stub adj router) and redistribution	USPAT; US-PGPUB	2003/10/10 10:48
-	0	370/216,242,244,250.ccls. and rout\$3 and (stub adj router)	USPAT; US-PGPUB	2003/10/10 10:47
-	728	370/216,242,244,250.ccls. and rout\$3	USPAT; US-PGPUB	2003/10/10 10:47
-	1	(370/216,242,244,250.ccls. and rout\$3) and stub	USPAT; US-PGPUB	2003/10/10 10:47
-	0	rout\$3 and (stub adj router) and redistribution	USPAT; US-PGPUB	2003/10/10 10:49
-	5	rout\$3 and (stub adj router)	USPAT; US-PGPUB	2003/10/10 10:53
-	4057	rout\$3 and stub	USPAT; US-PGPUB	2003/10/10 10:53
-	96	((rout\$3 and stub) not (stub adj router)) and redistribut\$3	USPAT; US-PGPUB	2003/10/10 12:27
-	4052	(rout\$3 and stub) not (stub adj router)	USPAT; US-PGPUB	2003/10/10 12:27
-	6	((stub or spoke) adj router)	USPAT; US-PGPUB	2003/10/10 12:29
-	720	hub near spoke	USPAT; US-PGPUB	2003/10/10 12:31
-	38	(hub near spoke) and stub	USPAT; US-PGPUB	2003/10/14 13:39
-	93	"hello packet"	USPAT; US-PGPUB	2003/10/10 13:12
-	90	"hello packet" and rout\$3	USPAT; US-PGPUB	2003/10/10 13:12
-	2	5519704.pn. or 5088032.pn.	USPAT; US-PGPUB	2003/10/14 15:09
-	5	(US-6058431-\$ or US-6339595-\$ or US-5991535-\$ or US-5361259-\$).did. or (US-20020147611-\$).did.	USPAT; US-PGPUB	2003/10/14 11:53
-	0	((US-6058431-\$ or US-6339595-\$ or US-5991535-\$ or US-5361259-\$).did. or (US-20020147611-\$).did.) and hello	USPAT; US-PGPUB	2003/10/14 11:53
-	6	(US-6058431-\$ or US-6339595-\$ or US-5991535-\$ or US-5361259-\$ or US-5519704-\$).did. or (US-20020147611-\$).did.	USPAT; US-PGPUB	2003/10/14 11:54
-	1	((US-6058431-\$ or US-6339595-\$ or US-5991535-\$ or US-5361259-\$ or US-5519704-\$).did. or (US-20020147611-\$).did.) and hello	USPAT; US-PGPUB	2003/10/14 11:55
-	721	hub near spoke	USPAT; US-PGPUB	2003/10/14 13:05
-	0	(hub near spoke) and (dual adj home\$1)	USPAT; US-PGPUB	2003/10/14 13:06
-	0	(hub near spoke) and ((many or different) near (network adj connections))	USPAT; US-PGPUB	2003/10/14 13:07
-	68	(different near (network adj connections))	USPAT; US-PGPUB	2003/10/14 13:08
-	64	dual adj home\$1	USPAT; US-PGPUB	2003/10/14 13:10
-	9	dual adj home\$1 adj host	USPAT; US-PGPUB	2003/10/14 13:21
-	250	(hub near spoke) and network	USPAT; US-PGPUB	2003/10/14 13:41
-	53	@pd<20000728 and ((hub near spoke) and network)	USPAT; US-PGPUB	2003/10/14 13:46

-	1	4178476.pn.	USPAT;	2003/10/14
-	40	@pd<19990728 and ((hub near spoke) and network)	US-PGPUB	13:43
-	0	(hub adj router) and ((spoke or stub) adj router)	USPAT;	2003/10/14
-	1	hub and ((spoke or stub) adj router)	US-PGPUB	13:48
-	0	(connected adj route\$1) and (summary adj route\$1) and (static adj route\$1) and (point adj to adj point adj link\$1) and (multi adj point adj link\$1)	USPAT;	2003/10/14
-	0	advertise adj route adj type	US-PGPUB	13:49
-	17	advertise adj route	USPAT;	2003/10/14
-	42	("4131767" "4161719" "4316284" "4397020" "4419728" "4424565" "4439763" "4445213" "4446555" "4456957" "4464658" "4499576" "4507760" "4532626" "4763191" "4893306" "4933937" "5003595" "5033076" "5136580" "5199049" "5212686" "5226120" "5229994" "5237564" "5249178" "5260933" "5260978" "5271004" "5283783" "5291482" "5305311" "5307343" "5311509" "5319644" "5331637" "5361250" "5361256" "5390170" "5394394" "5400325" "5408469").PN.	USPAT;	2003/10/14
-	41	summary adjl route\$1	US-PGPUB	14:20
-	161	static adjl route\$1	USPAT;	2003/10/14
-	2	(static adjl route\$1) and advertise near (static adjl route\$1)	US-PGPUB	14:20
-	9	(US-6058431-\$ or US-6339595-\$ or US-5991535-\$ or US-5361259-\$ or US-5519704-\$ or US-5088032-\$ or US-5864666-\$ or US-6069895-\$ or US-5835696-\$).did.	USPAT	2003/10/14
-	0	((US-6058431-\$ or US-6339595-\$ or US-5991535-\$ or US-5361259-\$ or US-5519704-\$ or US-5088032-\$ or US-5864666-\$ or US-6069895-\$ or US-5835696-\$).did.) and (identi\$3 near (stub or spoke))	USPAT;	15:31
-	0	((US-6058431-\$ or US-6339595-\$ or US-5991535-\$ or US-5361259-\$ or US-5519704-\$ or US-5088032-\$ or US-5864666-\$ or US-6069895-\$ or US-5835696-\$).did.) and (flag near (stub or spoke))	US-PGPUB	2003/10/14
-	0	((US-6058431-\$ or US-6339595-\$ or US-5991535-\$ or US-5361259-\$ or US-5519704-\$ or US-5088032-\$ or US-5864666-\$ or US-6069895-\$ or US-5835696-\$).did.) and (bit\$1 near (stub or spoke))	USPAT;	15:32
-	4	((US-6058431-\$ or US-6339595-\$ or US-5991535-\$ or US-5361259-\$ or US-5519704-\$ or US-5088032-\$ or US-5864666-\$ or US-6069895-\$ or US-5835696-\$).did.) and ((stub or spoke))	USPAT	2003/10/15
-	481	edge adj router	USPAT;	08:18
-	380	(edge adj router) and packet	US-PGPUB	2003/10/15
-	51	((edge adj router) and packet) and neighbor	USPAT;	08:19
-	3	identif\$4 adjl edge adjl router	US-PGPUB	2003/10/15
-			USPAT;	08:33
-			US-PGPUB	2003/10/15
-			USPAT;	08:34
-			US-PGPUB	2003/10/15
-			USPAT;	08:34
-			US-PGPUB	2003/10/15
-			USPAT;	08:48
-			US-PGPUB	08:48

-	3	(identif\$4 or determine) adj1 edge adj1 router	USPAT; US-PGPUB	2003/10/15 08:49
-	1	(determine) adj1 edge adj1 router	USPAT; US-PGPUB	2003/10/15 09:25
-	85	advertise and (best adj1 route)	USPAT; US-PGPUB	2003/10/15 09:27
-	13	(US-6058431-\$ or US-6339595-\$ or US-5991535-\$ or US-5361259-\$ or US-5519704-\$ or US-5088032-\$ or US-5864666-\$ or US-6069895-\$ or US-5835696-\$ or US-5251205-\$ or US-5509123-\$ or US-5633866-\$ or US-5854899-\$).did.	USPAT	2003/10/15 09:43
-	11	((US-6058431-\$ or US-6339595-\$ or US-5991535-\$ or US-5361259-\$ or US-5519704-\$ or US-5088032-\$ or US-5864666-\$ or US-6069895-\$ or US-5835696-\$ or US-5251205-\$ or US-5509123-\$ or US-5633866-\$ or US-5854899-\$).did.) and connected	USPAT; US-PGPUB	2003/10/15 09:43
-	6	((US-6058431-\$ or US-6339595-\$ or US-5991535-\$ or US-5361259-\$ or US-5519704-\$ or US-5088032-\$ or US-5864666-\$ or US-6069895-\$ or US-5835696-\$ or US-5251205-\$ or US-5509123-\$ or US-5633866-\$ or US-5854899-\$).did.) and (connected adj1 route\$1)	USPAT; US-PGPUB	2003/10/15 09:45
-	2	((US-6058431-\$ or US-6339595-\$ or US-5991535-\$ or US-5361259-\$ or US-5519704-\$ or US-5088032-\$ or US-5864666-\$ or US-6069895-\$ or US-5835696-\$ or US-5251205-\$ or US-5509123-\$ or US-5633866-\$ or US-5854899-\$).did.) and (active adj1 route\$1)	USPAT; US-PGPUB	2003/10/15 09:45
-	1	(advertise and (best adj1 route)) and (advertise near (static or connected) adj1 route\$1)	USPAT; US-PGPUB	2003/10/15 09:56
-	0	(advertise and (best adj1 route)) and (advertise near (virtual or active or passive) adj1 route\$1)	USPAT; US-PGPUB	2003/10/15 10:01
-	3	(advertise and (best adj1 route)) and (static adj1 route\$1)	USPAT; US-PGPUB	2003/10/15 10:01
-	0	(advertise and (best adj1 route)) and (advertise near (virtual or active or passive) adj1 rout\$3)	USPAT; US-PGPUB	2003/10/15 10:01
-	9	(advertise and (best adj1 route)) and (static adj1 rout\$3)	USPAT; US-PGPUB	2003/10/15 10:09
-	25	(advertise and (best adj1 route)) and ((connected or active or passive) adj1 rout\$3)	USPAT; US-PGPUB	2003/10/15 10:10
-	14	(advertise and (best adj1 route)) and ((actual or active or passive) adj1 rout\$3)	USPAT; US-PGPUB	2003/10/15 10:11
-	6	(advertise and (best adj1 route)) and ((actual) adj1 rout\$3)	USPAT; US-PGPUB	2003/10/15 10:11
-	11	(advertise and (best adj1 route)) and (advertise adj1 rout\$3)	USPAT; US-PGPUB	2003/10/15 10:14
-	0	(advertise and (best adj1 route)) and (working adj1 rout\$3)	USPAT; US-PGPUB	2003/10/15 10:14
-	8	(advertise and (best adj1 route)) and (active adj1 rout\$3)	USPAT; US-PGPUB	2003/10/15 10:14
-	0	(advertise and (best adj1 route)) and (advertise adj1 active adj1 rout\$3)	USPAT; US-PGPUB	2003/10/15 10:15
-	0	advertise adj1 active adj1 rout\$3	USPAT; US-PGPUB	2003/10/15 10:15
-	0	advertise adj1 (connected or passive or active or working or good or actual or physical) adj1 rout\$3	USPAT; US-PGPUB	2003/10/15 10:55
-	103	internal adj1 route	USPAT; US-PGPUB	2003/10/15 10:55

-	38	370/\$.ccls. and (internal adj1 route)	USPAT; US-PGPUB	2003/10/15 10:56
-	13	(US-6058431-\$ or US-6339595-\$ or US-5991535-\$ or US-5361259-\$ or US-5519704-\$ or US-5088032-\$ or US-5864666-\$ or US-6069895-\$ or US-5835696-\$ or US-5251205-\$ or US-5509123-\$ or US-5633866-\$ or US-5854899-\$).did.	USPAT; US-PGPUB	2003/10/15 11:00
-	7	((US-6058431-\$ or US-6339595-\$ or US-5991535-\$ or US-5361259-\$ or US-5519704-\$ or US-5088032-\$ or US-5864666-\$ or US-6069895-\$ or US-5835696-\$ or US-5251205-\$ or US-5509123-\$ or US-5633866-\$ or US-5854899-\$).did.) and internal and external	USPAT; US-PGPUB	2003/10/15 11:03
-	2	((US-6058431-\$ or US-6339595-\$ or US-5991535-\$ or US-5361259-\$ or US-5519704-\$ or US-5088032-\$ or US-5864666-\$ or US-6069895-\$ or US-5835696-\$ or US-5251205-\$ or US-5509123-\$ or US-5633866-\$ or US-5854899-\$).did.) and ((internal or external) adj route)	USPAT; US-PGPUB	2003/10/15 11:04
-	1	6490246.pn.	USPAT; US-PGPUB	2003/10/15 15:22
-	754	savage.in.	USPAT; US-PGPUB	2003/10/15 15:23
-	0	savage-donnie.in.	USPAT; US-PGPUB	2003/10/15 15:24
-	0	savage-don.in.	USPAT; US-PGPUB	2003/10/15 15:24
-	0	savage-donal.in.	USPAT; US-PGPUB	2003/10/15 15:24
-	1	savage-donald.in.	USPAT; US-PGPUB	2003/10/15 15:24
-	1	5088032.pn.	USPAT; US-PGPUB	2004/05/05 14:30
-	3891	gatewa\$3 and topolog\$3	USPAT; US-PGPUB	2004/05/05 14:36
-	3814	(gatewa\$3 and topolog\$3) and ((link or node or router or switch) near\$ fail\$4)	USPAT; US-PGPUB	2004/05/05 14:33
-	486	(gatewa\$3 and topolog\$3) and ((link or node or router or switch) near fail\$4)	USPAT; US-PGPUB	2004/05/05 14:37
-	0	((gatewa\$3 and topolog\$3) and ((link or node or router or switch) near fail\$4)) and (quer\$3 with ((non or "not") adj gateway))	USPAT; US-PGPUB	2004/05/05 14:36
-	0	(gatewa\$3 and topolog\$3) and (quer\$3 with ((non or "not") adj gateway))	USPAT; US-PGPUB	2004/05/05 14:35
-	0	(quer\$3 with ((non or "not") adj gateway))	USPAT; US-PGPUB	2004/05/05 14:35
-	0	(quer\$3 with ((non or "not") adj (edge or stub) adj router\$1))	USPAT; US-PGPUB	2004/05/05 14:36
-	0	(request\$3 with ((non or "not") adj (edge or stub) adj router\$1))	USPAT; US-PGPUB	2004/05/05 14:36
-	0	(request\$3 with (except adj (edge or stub) adj router\$1))	USPAT; US-PGPUB	2004/05/05 14:36
-	0	((gatewa\$3 and topolog\$3) and ((link or node or router or switch) near fail\$4)) and (quer\$3 with (except adj gateway))	USPAT; US-PGPUB	2004/05/05 14:36
-	0	(quer\$3 with (except adj gateway))	USPAT; US-PGPUB	2004/05/05 14:36
-	303	(gatewa\$3 and topolog\$3) and ((quer\$4 or request\$3) with topolog\$3)	USPAT; US-PGPUB	2004/05/05 14:37
-	51	((gatewa\$3 and topolog\$3) and ((quer\$4 or request\$3) with topolog\$3)) and ((link or node or router or switch) near fail\$4)	USPAT; US-PGPUB	2004/05/05 14:47
-	0	((intelligen\$3 same topolog\$3 same (request\$3 or quer\$3 or updat\$3))) and EIGRP	USPAT; US-PGPUB	2004/05/05 14:46

-	79	(intelligen\$3 same topolog\$3 same (request\$3 or quer\$3 or updat\$3))	USPAT; US-PGPUB	2004/05/05 14:47
-	27	((intelligen\$3 same topolog\$3 same (request\$3 or quer\$3 or updat\$3))) and ((link or node or router or switch) near fail\$4)	USPAT; US-PGPUB	2004/05/05 14:47
-	1	selective with topology with (request\$3 or updat\$3 or quer\$3)	USPAT; US-PGPUB	2004/05/05 14:58
-	3	("5715395" "5845091" "5870385").PN.	USPAT	2004/05/05 15:03
-	4945	370/254,390.ccls.	USPAT; US-PGPUB	2004/05/06 08:38
-	510	709/220,221,238,239,242.ccls. (370/254,390.ccls. 709/220,221,238,239,242.ccls.) and (topolog\$3 same (updat\$3 or request\$3 or quer\$4))	USPAT; US-PGPUB	2004/05/06 08:39
-	154	((370/254,390.ccls. 709/220,221,238,239,242.ccls.) and (topolog\$3 same (updat\$3 or request\$3 or quer\$4))) and ((remote or edge or stub or spoke) with (router\$1 or switch\$2 or node\$1))	USPAT; US-PGPUB	2004/05/06 09:04
-	72	((370/254,390.ccls. 709/220,221,238,239,242.ccls.) and (topolog\$3 same (updat\$3 or request\$3 or quer\$4))) and ((edge or stub or spoke) with (router\$1 or switch\$2 or node\$1))	USPAT; US-PGPUB	2004/05/06 08:40
-	35	((370/254,390.ccls. 709/220,221,238,239,242.ccls.) and (topolog\$3 same (updat\$3 or request\$3 or quer\$4))) and ((edge or stub or spoke) with (router\$1 or switch\$2 or node\$1))) and ((link or path or node) adj3 fail\$4)	USPAT; US-PGPUB	2004/05/06 09:04
-	101	((370/254,390.ccls. 709/220,221,238,239,242.ccls.) and (topolog\$3 same (updat\$3 or request\$3 or quer\$4))) and ((remote) with (router\$1 or switch\$2 or node\$1))	USPAT; US-PGPUB	2004/05/06 09:04
-	32	((370/254,390.ccls. 709/220,221,238,239,242.ccls.) and (topolog\$3 same (updat\$3 or request\$3 or quer\$4))) and ((remote) with (router\$1 or switch\$2 or node\$1))) and ((link or path or node) adj3 fail\$4)	USPAT; US-PGPUB	2004/05/06 09:40
-	59	(reduc\$5 with topolog\$3 with (flow or request\$3 or quer\$5 or updat\$4))	USPAT; US-PGPUB	2004/05/06 09:41
-	6	((edge or stub) adj2 (node or router or switch)) same ((fail\$2 near4 link\$1) with query)	USPAT	2004/10/13 15:34
-	0	((edge or stub) adj2 (node or router or switch)) same ((fail\$2 near4 link\$1) with (request with information))	USPAT	2004/10/13 15:35
-	10	((edge or stub) adj2 (node or router or switch)) same ((fail\$2 near4 link\$1))	USPAT	2004/10/14 12:35
-	2	(route with distribution) same (fail\$4) same ((advertis\$3 or quer\$4 or request\$3) with rout\$3)	USPAT	2004/10/14 12:50
-	197	(route with fail\$4) same ((advertis\$3 or quer\$4 or request\$3) with rout\$3)	USPAT	2004/10/14 12:50
-	384	(route\$2 with fail\$4) same ((advertis\$3 or quer\$4 or request\$3) with rout\$3)	USPAT	2004/10/14 12:51
-	61	((route\$2 with fail\$4) same ((advertis\$3 or quer\$4 or request\$3) with rout\$3)) and (edge or stub)	USPAT	2004/10/14 12:51
-	21	((route\$2 with fail\$4) same ((advertis\$3 or quer\$4 or request\$3) with rout\$3)) and ((edge or stub) near3 (rout\$3 or switch\$2 or node\$1))	USPAT	2004/10/14 13:11
-	63	((route\$2 with fail\$4) same ((advertis\$3 or quer\$4 or request\$3) with rout\$3)) and ((gatewa\$2) near3 (rout\$3 or switch\$2 or node\$1))	USPAT	2004/10/14 13:12

-	63	((route\$2 with fail\$4) same ((advertis\$3 or quer\$4 or request\$3) with rout\$3)) and ((gatewa\$3) near3 (rout\$3 or switch\$2 or node\$1))	USPAT	2004/10/14 13:14
-	0	((route\$2 with fail\$4) same ((advertis\$3 or quer\$4 or request\$3) with rout\$3)) and ((gatewa\$3) near3 (rout\$3 or switch\$2 or node\$1))) and ((advertis\$3 or quer\$4 or request\$3) with ("not" near3 gatewa\$3))	USPAT	2004/10/14 13:15
-	0	((route\$2 with fail\$4) same ((advertis\$3 or quer\$4 or request\$3) with rout\$3)) and ((gatewa\$3) near3 (rout\$3 or switch\$2 or node\$1))) and ((advertis\$3 or quer\$4 or request\$3) with ("not" with gatewa\$3))	USPAT	2004/10/14 13:16
-	1	((route\$2 with fail\$4) same ((advertis\$3 or quer\$4 or request\$3) with rout\$3)) and ((gatewa\$3) near3 (rout\$3 or switch\$2 or node\$1))) and ((advertis\$3 or quer\$4 or request\$3) with ("but" with gatewa\$3))	USPAT	2004/10/14 13:16
-	79	(rout\$3 with distribution) same ((connect\$3 adj2 rout\$2) or (fail\$2 adj2 rout\$2))	USPAT	2004/10/15 08:05
-	38	((rout\$3 with distribution) same ((connect\$3 adj2 rout\$2) or (fail\$2 adj2 rout\$2))) and (gateway\$2 or stub or edge)	USPAT	2004/10/15 08:15
-	0	(sub adj network) same (link adj fail\$4) same (quer\$3 or request\$3)	USPAT	2004/10/15 08:16
-	0	(sub adj network) same (link adj fail\$4) and (quer\$3 or request\$3)	USPAT	2004/10/15 08:16
-	467	(network) same (link adj fail\$4) and (quer\$3 or request\$3)	USPAT	2004/10/15 08:17
-	89	(network) same (link adj fail\$4) same (quer\$3 or request\$3)	USPAT	2004/10/15 08:17
-	39	((network) same (link adj fail\$4) same (quer\$3 or request\$3)) and (edge or stub or gateway)	USPAT	2004/10/15 08:17
-	19	((network) same (link adj fail\$4) same (quer\$3 or request\$3)) and (edge or stub or gateway)) and (hop\$4 or (short\$3 near2 path\$1))	USPAT	2004/10/15 08:18
-	796	370/237,238,254.ccls.	USPAT	2004/10/18 14:31
-	237	370/237,238,254.ccls. and (rout\$3 same distribut\$4)	USPAT	2004/10/18 14:32
-	54	(rout\$3 same (hello with packet\$1))	USPAT	2004/10/18 15:52
-	1	(advertis\$3 with rout\$3) same (hello with packet\$1)	USPAT	2004/10/18 15:53
-	16	(advertis\$3) same (hello with packet\$1)	USPAT	2004/10/18 15:53
-	19	(US-5519704-\$ or US-5088032-\$ or US-6339595-\$ or US-6112248-\$ or US-5581543-\$ or US-5864666-\$ or US-6069895-\$ or US-5835696-\$ or US-6067573-\$ or US-5854899-\$ or US-5633866-\$ or US-5509123-\$ or US-5251205-\$ or US-6058431-\$ or US-5361259-\$ or US-5991535-\$ or US-6631128-\$ or US-5987521-\$ or US-5394436-\$).did.	USPAT	2004/10/18 16:03
-	1	((US-5519704-\$ or US-5088032-\$ or US-6339595-\$ or US-6112248-\$ or US-5581543-\$ or US-5864666-\$ or US-6069895-\$ or US-5835696-\$ or US-6067573-\$ or US-5854899-\$ or US-5633866-\$ or US-5509123-\$ or US-5251205-\$ or US-6058431-\$ or US-5361259-\$ or US-5991535-\$ or US-6631128-\$ or US-5987521-\$ or US-5394436-\$).did.) and (homed adj host)	USPAT	2004/10/18 16:09
-	4	dual adj homed adj host	USPAT	2004/10/18 16:14

-	1850	(point adj2 point) near3 network	USPAT	2004/10/18 16:15
-	129	((point adj2 point) near3 network) and (rout\$3 with distribution)	USPAT	2004/10/18 16:18
-	67	((point adj2 point) near3 network) and (rout\$3 with distribution)) and gateway\$1	USPAT	2004/10/18 16:18
-	7	((point adj2 point) near3 network) and (rout\$3 with distribution)) and (gateway\$1 near2 router)	USPAT	2004/10/18 16:18
-	15440	(assign\$3 or identif\$4) near3 rout\$3	USPAT; US-PGPUB	2004/10/19 08:49
-	637	((assign\$3 or identif\$4) near3 rout\$3) and ((assign\$3 or identif\$4) with rout\$3 with (edge or stub or gateway))	USPAT; US-PGPUB	2004/10/19 08:51
-	519	((assign\$3 or identif\$4) near3 rout\$3) and ((assign\$3 or identif\$4) with rout\$3 with (edge or stub or gateway))) and (rout\$3 with (determin\$3 or database))	USPAT; US-PGPUB	2004/10/19 08:53
-	145	(assign\$3 with (edge or stub or gateway) with router)	USPAT; US-PGPUB	2004/10/19 08:53
-	52	(assign\$3 near3 (edge or stub or gateway) near3 router)	USPAT; US-PGPUB	2004/10/19 08:54
-	8	(classified near3 (edge or stub or gateway) near3 router)	USPAT; US-PGPUB	2004/10/19 09:30
-	103	(select\$3 or choos\$3) with ((edge or stub or gateway) adj router)	USPAT; US-PGPUB	2004/10/19 09:33
-	213	(select\$3 or choos\$3 or identif\$4) with ((edge or stub or gateway) adj router)	USPAT; US-PGPUB	2004/10/19 09:40
-	2	((select\$3 or choos\$3 or identif\$4) with (edge or stub or gateway) adj router)) and (route near2 distribution)	USPAT; US-PGPUB	2004/10/19 09:34
-	42	((select\$3 or choos\$3 or identif\$4) with ((edge or stub or gateway) adj router)) and (switch\$3 adj network)	USPAT; US-PGPUB	2004/10/19 09:35
-	35	(select\$3 or choos\$3 or identif\$4) adj3 ((edge or stub) adj router)	USPAT; US-PGPUB	2004/10/19 09:41
-	13	(network adj manag\$5) and (((edge or stub) adj router) with (select\$3 or choos\$3))	USPAT; US-PGPUB	2004/10/19 09:43
-	3	(select\$3 adj2 (edge or stub or gateway) adj router)	USPAT; US-PGPUB	2004/10/19 09:44
-	1	(choos\$3 adj2 (edge or stub or gateway) adj router)	USPAT; US-PGPUB	2004/10/19 09:45
-	16	(assign\$3 adj2 (edge or stub or gateway) adj router)	USPAT; US-PGPUB	2004/10/19 09:45
-	12	(identif\$3 adj2 (edge or stub or gateway) adj router)	USPAT; US-PGPUB	2004/10/19 09:45
-	17	(identif\$4 adj2 (edge or stub or gateway) adj router)	USPAT; US-PGPUB	2004/10/19 09:48
-	597	((edge or stub or gateway) with fail\$4) and (new with (edge or stub or gateway))	USPAT	2004/10/19 09:51
-	278	((edge or stub or gateway) near3 fail\$4) and (new with (edge or stub or gateway))	USPAT	2004/10/19 09:51
-	112	((edge or stub or gateway) near3 fail\$4) and (new near3 (edge or stub or gateway))	USPAT	2004/10/19 09:52
-	0	((edge or stub or gateway) adj router) near3 fail\$4) and (new near3 ((edge or stub or gateway) adj router))	USPAT	2004/10/19 09:52
-	112	((edge or stub or gateway) near3 fail\$4) and (new near3 (edge or stub or gateway))	USPAT	2004/10/19 10:02
-	31	((edge or stub or gateway) near3 fail\$4) and (new near3 (edge or stub or gateway))) and 370/\$.ccls.	USPAT	2004/10/19 10:01
-	4	((edge or stub or gateway) near3 fail\$4) and (new near3 (edge or stub or gateway))) and 455/\$.ccls.	USPAT	2004/10/19 10:01
-	15	(new near3 ((edge or stub or gateway) adj (router or switch)))	USPAT	2004/10/19 10:06
-	41	((select\$3 or choos\$3 or identif\$4) with router with ("edge router" or "stub router"))	USPAT	2004/10/19 10:20

-	892	((select\$3 or choos\$3 or identif\$4) with ((root or parent) adj node\$1))	USPAT	2004/10/19 10:21
-	538	((select\$3 or choos\$3 or identif\$4) near3 ((root or parent) adj node\$1))	USPAT	2004/10/19 10:21
-	86	((select\$3 or choos\$3 or identif\$4) near3 ((root or parent) adj node\$1))) and router\$1	USPAT	2004/10/19 10:22